## n Carlis



#### NICOLETTIHOME"

#### Model Code N8596

date of issue 27-10-22 revision 00

revision of 01-11-22 (the present replaces any previous versions)

#### Designer: Abruzzese

Structure: pinewood, multilayer and plywood covered with polyurethane foam

#### Spring system: elastic webbing

Seat Padding: in ecologic polyurethane foam covered with 100% polyester layer.

Back Padding: backrests and headrests in ecologic polyurethane foam covered with 100% polyester layer.

Arm Interior: armrests in ecologic polyurethane foam covered with 100% polyester layer.

#### Removability: not available

Sewing: leather covers feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) covers.

Mechanisms: electric recliner versions equipped with headrests featuring an electrically powered dual movement, liftable and reclining and a recliner mechanism, that can be independently actioned by a button pad positioned on seat cushion sides (pul2). The height of the model with lifted headrest is 101 cm. The maximum depth of the open recliner is 163 cm. All fixed versions, sq. corner version (040) and mer. chair sq. corner (041/042) feature non movable headrests.

Standard feet: the model is lifted 13 cm off the floor; shiny metal PM2245 feet, also available the following color options: graubraun, satinized, titanium, antique bronze. Some versions may be equipped with hidden feet with a supporting structural function.

#### Density of seat and back kg/cbm (±5%) (1)

Seat	Back
35 Medium	27
37 fire retardant	31 fire retardant
35 Medium	27
	35 Medium 37 fire retardant

<sup>(1)</sup>Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to took at the SAFETV INFORMATION TECHNUDUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

#### Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric	✓		
microfibre	✓		
leather + split			✓
DeLuxe			✓
multi colour**			✓
multi-category**			✓
multi covering**			✓

Please note: for not removable models, only one colour fabric covers are available.

#### Components / Optional vers.



Feet



PM2245



#### Ottoman




With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg ( $\hat{z}x100$  kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.

# n\_Carlis

NICOLETTIHOME"


L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).



### fold following the dotted line

# n\_Carlis

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).



L 96 H91 D149 SH43 SD109

chaise lon.rhf

arm fac

### fold following the dotted line

L 96 H91 D149 SH43 SD109

chaise lon.lhf

arm fac

\_\_\_\_\_

NICOLETTIHOME\*